I"THE MATERIAL HEREIN IS FOR INFORMATION PURPOSES ONLY AND IS SUBJECT TO CHANGE WITHOUT NOTICE. DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR ANY ERRORS WHICH MAY APPEAR HEREIN." **** FIELD MAINTENANCE PRINT SET **** TABLE OF CONTENTS B-DD-SCOO8-AA STAR COUPLER & CAB ASSY (AA) UNIT VARIATIONS LE-UA-SCOO8-AA STAR COUPLER & CAB ASSY (AA) K-PL-SC008-AA STAR COUPLER & CAB ASSY (AA) SC008-AA LE-AD-70-18554 DOOR ASSEMBLY FRONT DOOR ASSEMBLY FRONT IK-PL-70-18554 SCOG8-AB AD-70-18555 REAR DOOR ASSEMBLY SCOOR REAR DOOR ASSEMBLY SCOOR PL-70-18555 STAR COUPLER EXPANDER FIELD MAINTENANCE B-DD-SC008-AB STAR COUPLER EXPANDER E-UA-SCOO8-AB PRINT SET K-PL-SC008-AB STAR COUPLER EXFANDER MP01370 IE-AD-70-18771 STAR COUPLER ASSY (BOX) K-PL-70-18771 STAR COUPLIR ASSY (BOX) DIGITAL EQUIPMENT FRONT PANEL ASSY SCOO8 CORPORATION IE-AD-70-18717 1K-PL-70-18717 FRONT PANEL ASSY SCOOR ID-UA-54-14216 STAR COUPLER MODULE SC008-A K-PL-54-14216 STAR COUPLER MODULE IB-BD-54-14216 STAR COUPLER MODULE STAR COUPLER MODULE ID-CS-54-14216 IC-UA-70-18530 8/16 JUMPER CABLE K-PL-70-18530 8/16 JUMPER CABLE LABEL, NODE 8-16 IA-PS-36-18845 LABEL, CONFIGURATION PATH C1780 |A-PS-36-18806-01 LABEL, CAUTION BEND RADII 1A-PS-36-19211 LABEL, NODE ID PAN, STAR COUPLER IA-PS-36-19264-01/16 ID-SS-74-25772-00 ID-SS-74-25772-01 PAN. STAR COUPLER A-SP-37-00669-0-0 PACKING INSTRUCTIONS AA & AB STAR SYSTEM INTERCONNECT ID-IC-SC008-0-2 USED ON OPTION/MODEL DRN. DATE M. BAPTISTE; 2/10/82 SC008 DATE R. NUEBLING: 2/10/82 PROJ. ENG. DATE R. NUEBLING | 2/10/82 FIELD SERV. DATE B. LOVETT 2/10/82 SHEET 1 OF 1 digital TITLE: ITHIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION SCOOR FIELD MAINT, PRINT SET AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE IMANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. SIZE CODE NUMBER REV

COPYRIGHT 9 1982

DIGITAL EQUIPMENT CORPORATION."

TC | SC008-A-1

DIST.

•	DRAWING DIRECTOR	***			i
	Ţ UI	VIT VARIATIONS			
•	VAR	TITLE	 j	,	.
	SCOO8-AA	STAR COUPLER & CAB ASSY	(AA)		
	SCOO8-AB	EXPANDER, STAR COUPLER			}
					i
	<u> </u>		i		į
					!
			i	·	İ
			1		
		USED ON OPTION/MODEL SCOO8	DRN. M. BAPTISTE	DATE 2/10/82	
			CHK'D M. NUEBLING	DATE 2/10/82	-
			PROJ. ENG.	DATE	-
			R. NUEBLING	2/10/82	_
			PROD.	DATE 2/10/82	

ر ا المنام


تجو

()


TW


-

	DRAWING NUMBER	DESCRIPTION			DRAWING NUMBER	DESCRIPTION	i
	F-114-3C003-48-0	STAR COUPLER 7 CAB ASSY (AA)	F/W		B-DD-SC008-AB-0	EXPANDER, STAR COUPLER	- E/F
	!		1	.		EXPANDER, STAR COUPLER	
	į	TAOUGH, CABLE, SIDE	H				i
	D-IA-7425764-0-0	TROUGH, CABLE, REAR	H	3	C-AD-7018770-0-0	TERMINATOR STORAGE ASSY	E/1
	C-HD-7425774-0-0	CLAMP, CABLE	М	'ii	C-ND-7425874-0-0	BRACKET MTG CONN STORAGE	- M
	D-HD-7425876-0-0	BRACKET, DOOR SUPPORT	М	`			-i
	C-HD-7425881-0-0	BRACKET, DOOR HINGE & END PANEL	H	4	D-AD-7018541-0-0	BNCI CABLE SUB ASSY	E71
	C-IA-7426003-0-0	BRACKET, DOOR LOCK MTG.	М	·	A-PS-3616073-0-0	LABEL, ID W/COPY VERTICAL	H
	D-MD-7425775-0-0	TRIM, REAR BASE	M				-
	D-IA-7425761-0-0	CROSSBAR, TROUGH STAR COUPLER	M	5	D-UA-BNCI-0-0	BNCI CABLE ASSEMBLY	E/1
	D-MD-7422244-0-0	BRACKET, REAR VENT SUPPORT (SINGLE)	М				-
	C-MD-7422221-0-0	BRKT, DOOR HINGE/END PANEL LOCK	М	6	D-AD-7018554-0-0	DOOR ASSEMBLY FRONT	-
	С-НО-7422272-0-0	PIVOT BRKT BOTTOM REAR PANEL (RT)	М				-
	B-MD-7425882-0-0	BRACKET, DOOR LOCK	H	117	E-AD-7018717-0-0	FRONT PANEL ASSEMBLY	- E7
	B-MD-7425007-0-0	BRACKET, DOOR LOCK (B)	H		D-UA-5414216-0-0	STAR COUPLER MODULE	E/1
	A-PS-3618806-0-0	LABEL CONFIGURATION PATH C1780	H		D-IA-7425772-0-0	PAN, STAR COUPLER	-
**********	A-PS-1212972-0-0	SPRING, RECEPTACLE FASTENER	М				-
	A-PS-3619211-0-0	LABEL, CAUTION BEND RADII	H	8	E-AD-7018771-0-0	STAR COUPLER ASSEMBLY	- E7
	C-MD-7422222-0-0	BRACKET, DOOR LOCK	М		D-IA-7425776-0-0	ENCLOSURE, STAR COUPLER	H
	D-IC-SC008-0-2	STAR SYSTEM INTERCONNECT			D-MD-7425759-0-0	BRACKET, MOUNTING ENCLOSURE	H
				9	E-AD-7018555-0-0	DOOR ASSY REAR	-
					 B-MD-7422619-0-0		-
TYP	E: E = ELECTR M = MECHAN				PLER &	T 2 OF 2 SIZE CODE NUMBER B DD SCOO8-AA	RE



26(2118) HOLES 95 & 56 (2 PLCS) **26(314.4)** 26(QTY 2) HOLE 54 (BOTH SIDES) 26 (017 2) HOLES 51 & 53 HOLE VA 27(QTYD |SREF 27(0112) 27 corr 2) SEE NOTE 7 8 27 SEE NOTE 7 27(01Y2) 29(aty6) HOLE 74 (214 6)26 -29014 2) HOLES 28 & 30 HOLE 10 27(0114) (QTY.Z)4 34 (QTY 2) 28 00749 2'3 SEE NOTE 4 SEE SECTION A -A 7(019/20 SEE NOTE 4 27(QTY 2) THE OF CAB REAR STAR COUPLER & ELA SCC03-44-3





	T T C 1/	.								ANTILY PER	VARI	MOITA		
NE .	TIEM	μU	CUMENT N	NUMBER	FART NUMBER	DE:	SCRIFTION		A	A AC				
1			Au-70187				AR COUPLER ASSY (BOX)			1 2				
2			UA-H9542				* FRONT LOADING CAB FRA			1 1				
3 4			UA-H9544 UA-H9544				F COVER, SINGLE WIDTH FRO			1 1				
5			AD-70165				*END FANEL,GREY FRAME,D * THIS ITEM IS NOT USE			2				
5			AD-70185				ONT DOOR ASSY (SCOOBAA)	U 404		1 1				
7			AD-70185				AR DOOR ASSY SCOOR			î î				
8	8	D-	MD-74257	765-0-0	7425765-00	TRO	OUGH, CABLE, SIDE			6 6				
9			IA-74257				OUGH,CABLE,REAR			1 1				
10			MD-74257				AMP · CABLE			4 4				
11			MD-74258			BRI	ACKET, DOOR SUPPORT ACKET, DOOR HINGE & END	~ ^ ^ ^		1 1				\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
12 13	13	U-	MD-74258	381-0-6	7425881-00 1218633-00	BRA WWW	ALKETTOUR HINGE & END I * THIS ITEM IS NOT USE	PANEL L		2 2				. \
14		e-	IA-74260	008-0-0			ACKET, DOOR LOCK MTG.	C 4.1.1.		1 1				
15			AD-70187				RMINTOR STORAGE ASSY			1 2				
16	16	[i-	MD-74257	775-0-0			IM:REAR BASE			1 1				
17			IA-74257				DSSBAR, TROUGH STAR COUP			6 6				
18 19			MD-74222 MD-74222				ACKET,REAR VENT SUPPORT KT,DOOR HINGE/END PANEL			F REF F REF				
20			MD-74222 MD-74222				VOT BRKT BOTTOM REAR DO			1 1				
21			E NOTE	272-0-1	7422272-01		VOT BRKT BOTTOM REAR DO			1 1				
22			MD-74258	382-0-0			ACKET, DOOR LOCK			1 1				
23	23	B-	MD-74260	07-0-0	7426007-00		ACKET, DOOR LOCK (B)			1 1				
24			PS-36188				BEL, CONFIGURATION PATH			1 1				
25		A-	PS-12129	772-0-0			RING, RECEPTACLE FASTENE	R 1/4 T		2 2				
26 27	26 27				9007786-00 9009700-00		TAINER, U-NUT, 10-32 REW,TRUS,PHIL,SEMS10-32	v =: \(\)		3 83 4 54				
28	28				9004054-03		REW,TRUS,PHIL, 1/4-20X			8 8				
29	29				9006565-00		T, KEP 10-32X 3/			8 8				
30	30	A-	PS-36192	211-0-0	3619211-01	LA	BEL, CAUTION BEND RADII			1 1				
	REUTS	TON	HISTORY	1	RASTO PART NO:	SCOOC	1	!		A0 - 88 01	!	!	!!!!!	!!!
NG!	EC	א כ	UMBER	!REV	SECTION A OF A		DRN: J.SULLIVAN	: Lin			.!		.!!!	!!
!.				!	!		!	į.			!TITL	Ε	PARTS LIST	
							!CHK'D: R.ROCHA							
!				!	! [A] AA,AC			!			_! 51	AR CU	PLER & CAB. ASS	ot (AA)
				į	[8]		DES.ENG.: G.NORTON	DΑ	TE:	09-JUL-81	į			
!				!!	! ! [C]		!	!			-! !		DOCUMENT NUMBE	 ER
į				!	!		!RESP.ENG.: R.NUEBLING	! DA	TE:	09-JUL-81	!			
!				!	! [D] !			!			-!SIZE	!CODE	NUMBER	! REV
į				!	! [E]		!MFG.ENG.: M.WARSHAW		TE:	26-JAN-82	ļК	! PL	SCOOS-AA-DBP	! A
!				į	: ! [F]		!!ASSEMBLY NUMBER:			CUMENT NUI			FILE NAME:	* TIU3!
į				!	<u>!</u> 1		!E-UA-SCOOB-AA-O	! B-	DD-S	0-AA-8003			Z2617A.PLS	! 3
! -	• TH	 IS	DRAUTNG	AND S	PECTRICATIONS HERE	IN. ARE	THE PROPERTY OF DIGITAL	FOUTE	MENT	CORPORATI	וחא באר	T SHAL	I NOT BE REPRO	DUCED
			PIED OR											


A STATE STATE OF THE STATE OF T

2

UTSHATED	BY PRTLST.3P(44)		PARTS LIST	QUANTITY PER	VARIATION	SHEET A2	
INE ITEM	DOCUMENT NUMBER	FART NUMBER	DESCRIPTION	AA AC	· · · · · · · · · · · · · · · · · · ·		
33 33 34 34	C-MD-7422222-0-0	7422222-00 7016703-02 7016703-00	*** THIS ITEM IS NOT USED BRACKET, DOOR LOCK STOP DOOR 1.62 STOP DOOR (REAR)	*** 1 1 2 2 2 2		·	
35 35 36 36 37 37 38 38 39 39	SEE NOTE SEE NOTE SEE NOTE	9006664-00 9006074-03 7426225-01 7426224-01 9006070-02	WASHER, FLAT, .437 OD X .21 SCREW,TRUS,PHIL, 10-32X BRACKET,CABLE COVER MTG COVER,CABLE EXIT	8 ID 11 11 5/8 8 12 2 2 1 1 5/14 REF REF			
40 40 41 41 42 42 43 43 44 44	BLANK	9008965-00 3617674-00 4700045-00 3619264-17	NUT, STOP, S.S. 10-32 X 3/8 LABEL, SERIAL & POWER, UNIVER WRENCH, ALLEN HEX5/32, 2*L LABEL, SET VAR 01 THRU 16 *** THIS ITEM IS NOT USED	X 1/ REF REF SAL 2 3 G 2 2 1 2			· .
45 45 46 46 47 47 48 48 49 49		9010156-00 9007651-00 H9544-HB 3618845-01 3618845-02	SCREW,HEX,SLOT,SEMS 10-32X WASHER, LOCK, EXTERNAL TOOT KIT OF 4 LEVELERS LABEL,NODE 9-16 LABEL,NODE MARKER "B"				` ,
						*	
50 NOTE: 51 NOTE:		12,847 INFICATES LO IATION SEE PARTS LI	DOSE ITEMS (NOT MOUNTED ON CAB ST SCOO8-AB)		•	
50 NOTE:)		·	
50 NOTE:)			
50 NOTE:				>			
50 NOTE:				,			
50 NOTE:				,			
50 NOTE:				,			
50 NOTE:				,			
50 NOTE:				,			
50 NOTE: 51 NOTE:	FOR AB & AD VARI	IATION SEE FART3 LI	ST SCOOR-AB		SIZE!CODE! DOCUME	I NUMBER!	REV !


*

)



AUTOMATED BY PRTLST.3P(44) LINE ITEM DOCUMENT NUMBER	PART NUMBER	PARTS LIST DESCRIPTION	QUANTITY PER VARIATION 00 01	SHEET A1 OF A1
1 1 D-IA-7018543-0-0 2 2 BLANK 3 3 4 4 BLANK 5 5 6 6 7 7 8 8 9 9 10 10 BLANK 11 11 12 12 D-IA-7018543-0-0 13 13 14 14 B-MD-7426147-0-0 15 15 16 16 17 17 18 18 19 19 20 20	7018543-00 1216225-01 1212972-06 1212972-03 9008500-00 1213756-12 9000049-38 3613272-00 7018543-01 1219010-00 7426147-00 9009273-02 9010156-00 9007651-00 1211255-10 7413707-04 9006664-00	FRONT DOOR WELDMENT *** THIS ITEM IS NOT USED *** SPRING, COMPRESSION .3190DX1.540 *** THIS ITEM IS NOT USED *** FASTENER, GROMMET, RETAINER POLYETHELENE RING, RETAINER FOR .243 GROUND STRAP SCREW, SEMS, PLAIN SLOT 10- *** THIS ITEM IS NOT USED *** LABEL, ADH BACK, MYLAR CAP FRONT DOOR WELDMENT W/SLOTS BUSHING, SNAP PIN, DOOR HINGE RING, RETAINER EXTERNAL FOR .219 SCREW, SEMS HEX 10- *** THIS ITEM IS NOT USED *** FILTER, AIR FOAM 030PPI . STRIP WASHER, FLAT SST	1	

ĒÑĞ	REVISION HISTORY		BASIC PART NO: 7018554	! !DRN: !	P. TOUSIGNANT	! !DATE: 10-JUN-81	! !	. D	IGIIT	ALL
!	! ! ĪNĪTĪĀL !INITAL		SECTION. VARIATION INDEX! [A] 00,01	CHK'D:	A. ROCHA	DATE: 10-JUN-81	TITLE		PARTS LIST	!
!RB	!7018554-TW001 !H9544-E-ML005 !H9544-E-ML006	!B !C !D	!	DES.ENG.:	G.NORTON (! !DATE: 10-JUN-81	! ! !			!
		!	! [C] ! ! [D]	! !RESP.ENG.:	G.NORTON	! !DATE: 10-JUN-81 !	! !SĪZĒ	CODE!	DOCUMENT NUMBER	T-REV
	: ! !	!	[E]	! !MFG.ENG.:	M.WARSHAW	DATE: 10-JUN-81	K	PL	7018554-0-D8P	D
		!!!!		ASSEMBLY NO E-AD-70185		!TOP DOCUMENT NUM !E-UA-SCOO8-AA-O	BĒR:	-	FILE NAME: Z2444D.PLS	ĒŌĪT¯#!
	"THIS DRAWING" OR COPIED OR	AND S USED	PECIFICATIONS HEREIN, ARE IN WHOLE OR IN PART AS TH COPYRIGHT	E BASIS FOR	TY OF DIĞITAL EQ THE MANUFACTURE DIĞITAL EQUIPMEN	OR SALE OF ITEMS			L NOT BE REPRODUC LITTEN PERMISSION.	ĖŌ



AUTOMATED BY PRTLST.3P(44) LINE ITEM DOCUMENT NUMBER	PART NUMBER	PARTS LIST DESCRIPTION	QUANTITY PER VARIATION OO	SHEET A1 OF A1
1 E-IA-7018542-0-0 23 4 5 5 6 7 8 9 10 10 11 11 12 12 B-MD-7422619-0-0 13 13	7018542-00 9008111-00 1216223-00 1216223-00 1212972-06 3613272-00 1213756-12 9010156-00 1212972-03 9008500-00 9007651-00 7422619-09	REAR DOOR WELDMENT BUSHING, SNAP, NYLON 3/8 MGTHOLE SPRING, HINGE 1.54LG PIN, DOOR HINGE FASTENER, QUARTER TURN W/RECESSED LABEL, ADH BACK, MYLAR CAP GROUND STRAP SCREW, HEX, SLOT, SEMS 10-32X .500L GROMMET HALF FOR 1/4 TURN FASTEN RING, RETAINING .500 O.D. X.423 WASHER, LOCK, EXTERNAL TOOTH #10 PIN, PIVOT E-RING, EXTERNAL FOR 015		

++++ ! !+++	REVISION HISTORY		BASIC PART NO: 7018555	inan.	s. CHARTIER	inate.	19_Y0M_P1	t i	; 0	i i G i T i T i	A ! L !
ENG	FCO NUMBER	:KEV	SECTION H OF H			! ++++++	++++++++	! ++++	++!++ E	PARTS LIST	.+++!+++
			!	DES.ENG.:	G. NORTON	DATE:	19-MAY-81	!		SY REAR	
			[D]	RESP.ENG.:		DATE:	18-Y-M-P1	++++		DOCUMENT NUMBER	į
i i	·		[F]	MFG.ENG.:	M.WARSHAW	DATE: 1	18-YAM-P1	K	PL	7018555-0-08P	Α
i +++i	+++++++	++++	[F]	ASSEMBLY NU E-AD-701855	JMBER: 55-0-0	TOP DOC E-IA-70	CUMENT NUM 018542-0-0	3ER: ++++	; ; ; ;	! FILE NAME: ! Z2581.PLS !++++++++	EDIT #
	"THIS DRAWING A OR COPIED OR L	ND SF ISED	PECIFICATIONS HEREIN, ARE IN WHOLE OR IN PART AS THE	THE PROPERT BASIS FOR	TY OF DIGITAL EQU THE MANUFACTURE MATTOL FOULTPMENT	JIPMENT OR SALE	CORPORATION "	INA NO	D SHAL DUT WA	L NOT BE REPRODUC RITTEN PERMISSION.	ĒD į

DRAWI	NG DIRECTORY	(•
	UN	IIT VARIATIONS				8
	VAR	TITLE				
	SC008-A3	EXPANDER, STAR COUPLER		•		
	·					•
						`
				•		9
						0
으로 보고 있으면 한 것들이 되었습니다. 그런 사람들이 되었습니다. 그런						
er og freggig og styring fillere eller et skiller og klimatiske fillere eller et er et er et er et er et er et Det filler ekkelig eller et er e						. •
			i	and the second s		.
ing filosofie in experimental de la martine <u>et fato</u> r filosofie de la martine de la composition de la companya d En la composition de						•
		USED ON OPTION/MODEL SCOO8	DRN. M. BAPTIS	TE 2/10/82		
			CHK'D	DATE NG 2/10/82		a
			PROJ. ENG	DATE	-	
			R. NUEBLI		_	9
	•		PROD.	DATE W 2/10/82		•
		SHEET 1 OF 2	_	digital	- [


TW

the first state of the state of

	DRAWING NUMBER	DESCRIPTION			DRAWING NUMBER	DESCRIPTI	NO.		
1	E-UA-SCOO8-AB-O	REJYUOD RATE, REDEKAYKE	E/H	·				-	13
	C-PS-3618845-0-0	LABEL, NODE 8-15	H	·				-	
	C-PS-3618845-0-0	LABEL, NODE MARKER 'B'	Н	·				-	
-			·	·				-	
-				·	-		·		
2	E-AD-7018771-0-0	STAR COUPLER ASSY (BOX)	H	11-					
	D-IA-7425776-0-0	ENCLOSURE, STAR COUPLER	H	11-				-	· . •
-	D-HD-7425759-0-0	BRACKET, MOUNTING ENCLOSURE	M	·					
			¦						i B
3	C-AD-7018770-0-0	TERMINATOR STORAGE ASSY	H						
	C-MD-7425874-0-0	BRACKET MTG CONN. STORAGE	H						
		and the second of the second o							
i		. €a a a a a a a a a a a a a a a a a a a	<u> </u>	ii-					
4	C-AD-2018530-0-0	8/16 JUMPER CABLE	E/H						
<u> </u>									-
i									

TY	PE: E = ELECTR	ICAL	TITLE	ANDER			DE NUMBER SC008-AB-0	REV A	
İ	M = MECHAN E/M = ELECTR	ICAL O/MECHANICAL	STA	R COU	PLER		196000-49-0		
						Tu	,		
					•		,		•

• •								-	
• • •	- /	en en en en en en en en en en en en en e		•	•				



چ م	AUTOMAI	TED	BY PRTLST.3P(44)		PARTS LIST				SHEET A1	OF	A1
3	LINE IT	TEM	DOCUMENT NUMBER	PART NUMBER	DESCRIPTION	MAUD BA	TITY PER	VARIATION			
3	1	1	E-AD-7018771-0-0	7018771-00	STAR COUPLER ASSY (BOX)	1	2		•		
_	2	2	C-AD-7018770-0-0	7018770-00	TERMINTOR STORAGE ASSY	1	2				
	3	3	C-FS-3618845-0-0	3613845-01	LABEL, NODE 9-16	1	2				
9	4	4	C-FS-3618845-0-0	3618845-02	LABEL, NODE MARKER "B"	1	2				
	5	5		9009700-00	SCREW, TRUS, PHIL, SEMS10-32X .500L	4	8				
	6	6		9005664-00	WASHER, FLAT, .437 OD X .218 ID	4	8				
•	7	7		9006074-03	SCREW, TRUS, PHIL, 10-32X 5/8	4	8				
	8	8		3618806-01	LABEL, CONFIGURATION PATH C1780	1	1				
	9	9	C-AD-7018530-0-0	7018530-00	8/16 JUMPER CABLE	REF	REF				
9	10	10		3619211-01	LABEL, CAUTION BEND RADII	1	1				
-	11	11		3617674-00	LABEL, SERIAL & POWER, UNIVERSAL	1	2				
	12	12		3619264-17	LABEL, SET VAR 01 THRU 16	1	2				
9	13	13		9007786-00	RETAINER, U-NUT, 10-32	8	16			· ·	' /


14 NOTE: FOR AA & AC VARIATIONS SEE PARTS LIST SCOOR-AA

			!	.!DRN:	н.	DARAKJIAN	!DATE:	18-NOV-81	į	! D !	! I ! G ! I ! T	! A ! L
ENG!	ECO NUMBER	!REV	SECTION A OF A	!			_!		!	_!!	!!!	_!!
!		_!		.!			į.		ITITLE		PARTS LIST	
·!	INITIAL	IA.	ISECTION. VARIATION INDE	(ichk.b:	М.	BAPTISTE	!DATE:	18-NOV-81		A)10:00	CTAD COUDIED	
:		:	! [A] AB,AD	!			-!		! EXP	HMTIEK	STAR COUPLER	
į		!	. [B]	!DES.ENG.:	G.	NORTON	!DATE:	18-NOV-81	!			
į		į	1	!			_!		!			
!		!	; cc3	!	_		!		!		DOCUMENT NUMBER	R
!		į į	! ! CD3	!RESP.ENG.:	R.	CASABONA	!DATE:	18-NOV-81	!	CODE	NUMBER	! REV
į		i	1	!					!!!	!		i
!		!	! CEI	! MFG.ENG.:	v.	ADAMETZ	!DATE:	18-NOV-81	! K !	PL !	SCOOS-AB-DBP	! A
į		!	į	!			_!		!!	! -		!
!		!	! CF3	!ASSEMBLY N				DCUMENT NUM		-	FILE NAME:	!EDIT #
!		!		!E-UA-SCOOB	-AB	-0	B-DD-9	SC008-AB-0		!	Z3341A.FLS	! 5

IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.

COPYRIGHT (C) 1982. DIGITAL EQUIPMENT CORPORATION *

3




						-					 	
•	† †		*** * *** *	***************************************		 †		•				
	† †				······································	-i! 1 T G	Zir i ⊃ir i = ir i	•				
	† 1 † 1 † 1					5 1 1 1	† 20 1 † M1	·.				
	251	•				₩#T ₩#C	ナマヤ リナロ1 フナの1	•				
	ტ ინი ტ ტ ინი ტ	•				77-4						
	† 001 † 121 † 001	•				<u> </u>	2 2	•				
•		•				T U	0 T 1-07 11 T (0) 1	•				
	† 유공 † † 유료 †	•				÷ ^	15 † C 10 † C 10 †	•				
	†					ተ ማንመንመንመን ማንመንመን	- ↑ ~< 1 - ↑ 1	·. ·				
		·				3D サフ サロ サマ	F1 16 1	•				
				MA 4 MA 9 WH 8 MH 9 (†· ⊶ • • • • • • • • • •		•				
	ナ ミトロ	7	m.	[0]			9 + 133 1 3 + 63 1	·. ·-				
	† 0H1	r. r•		b			-4 th CD 1	٠.				
	† MD1 †	r-				8219	11:10:1	•				
	1 721	r• r•				< * **	0 + 20 1 1 - 1 1 1 - 1	· ·	i.			
	† 201 † 21	۲۰				辺から	3481	·.				
	† 70Mi1 † 82271 † 820Mi1	; ;				⊢ ⊣ †·	ተ። 1 ወተ - 1 ተ~31	••	:			
	18721	^		•		- +	**************************************	•	1			
	† RB- 1 † FB 1 † G 10 1	•				B	+21	••				
	* エース) † * ーエロ †	r•				〇 竹 × 木	* + - 1 1 1	•		*		
	* M • • 11 * O = 11	mæ				~	10 1	··				
	ナーカ 門 1	DU	ተ ር ጋ	ተ (/) 1 ተ ገነ 1) () ()	キアス ユ	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	••	:			
	1 0 0 1	1m	1 =:	か・	E E	† D 1	f 1	•	i : :			
	1 10 71 70 1 1	SS	ተ • ተ ••	1. CD	 -	7	t 1 t 1 t 1	••	:			
	ተ ፡፡ 2000 ተ ተመ ፡፡ - 4 ተ ተ ፦ 4 -< 1	-3	↑ 1 † = <u>3</u>	T 1	ኮ በ	4.	ኮ : 1 ኮ : 1 ኮ (ፓ) : 1	•				
	ナロエ 1 ナロMO 1		ተ ፡ ተ ፫	1 · · · · · · · · · · · · · · · · · · ·	r •	† •	r • 1	• !•	:			
	1 DR 1	}-	ナスロー	† N	NORTON	† GB		r. r. r.				
	† 261 † 261 † 2761	<u>.</u>	MAHS MAHS MAHS MAHS MAHS MAHS MAHS MAHS	† E	[] []	* H	t — 1	· ·				
	* ED 1 * HOD 1	r :	ተ ••	11 44 2	r r	1 -1	t 20 - 1	†• • •				
	* BUT 1	r ·	ተ ተ ተ	1. 1	ዮ ዮ ዮ	† †	t 1	· ·				
	‡ <u>3</u> ™2:	r•	† ~	1	t [.] 	· · · · · · · · · · · · · · · · · · ·	t·		-			
	† 0 2 1 1		# 3	1 D 1	DAT	十二つ つ	t 000 - 1	* * !*				
	1 2001111 1 2021 1 000-11		T ••	4.14		4.14	t	· ·				
	120M 1 120 O1	· (**) (**) ·	† 	T 1	ب	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	r 1	• -				
	7 1-1 11.13 1	י וייוכס יי	100	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- J-	·1· C4 -	r 1	• • -				
	† 2 0 1 † 2 0 1 † 4 0 1	8-	17	TUN-	B-NDF	#7	t 22 - 1 t 1 - 1)• •	!			
	4. ***********	· (-)(·	ተ 00 ተ 🛏 ተ	J. F.→	Γ. W. Γ. I— Γ.	7	7:00 1 1:1- 1	r •	į			
	† 051 † 521 † 521			(i) †				r. '*				
	· • • • • • • • • • • • • • • • • • • •		ተ ተ	M + 10	t [.]	11. 11.	t·	• • •				
	† TŽ	· ·	 ተ ተ "ሀ	つす ・	r r r	כג	t ·	•• •• ••	,			
	ተ 2014 ተ 37 15 4	•	ት ቦ ^ፌ		r r	8	1 · _ 1	· ·				
	† 2017-1 † H-17-1 † H-1		ተ		r r ሎ	~~~·		r ·				
	† ポス1 † MO1	1 (U) 11 11 (U) 11	か (二) か (二)	물‡음?	t· t·	F 75	† 	;· • •				
	ተ 1 ታ 1060 1	י יידי כור	ተ ^\] ተ ^\]		r r r	HRT HRT		• • •				
		H. C.	† <u> </u>	† Z 1	r r	ന ന	†·	r• r•				
	ዮ ⊬ብሀነሳ ቊ (ሰንግነሳ	(U)•• († 0 - 0 † - 0	44	Γ • •	CC) ⊬⊣ :	t· +1 -	† • •				
	1 00 70 1 1 HO 1	ŗ.	ナ (円) ナ (円)		r	•		•				
	T 22 CT 1	•	ተ ተ ተ	ተመሰ	r r	: •	T	r• r• ·				
	† • O † † • O † † • O † † • O †	. [r]			r r		†	r.				
	ተ 1 ተ 1		† †	四か か	r r	•.,		f•				
	† † † †		†· †· •••••	† 1 † 1	r 	······································	† [*** *** 					

GELEWOLDH ' HALL SKIT യ⊿തന്ഥയസ⊷ യ⊿ശന±നശ⊢-**™** 0-0-792877-07-0 0-19-792877-07-0 0-0-792877-07-0 DOCUMENT NUMBER 0-90-7018530-0-0 PRILSI.3P(44) 701877777 900507775-00 90050701-01 70185861-00 170185861-00 170185861-00 170185861-00 170185861-00 PART NUMBER FRONT PANEL ASSY SCOOR
ENCLOSURE STAR COUPLER
BRACKET, MOUNTING ENCLOSURE
SCREW, PAN, PHIL 10-32X 3/8 SS
SCREW, PAN, PHIL SEMS 6-32X 312L
WASHER, FLAT 1437 OD X 218 ID
8/16 JUMPER CABLE
CONN, COAX ILINE TERM TNC DESCRIPTION σ \mathfrak{D} ∞ --- 6 ഗ +-1 S OUGNIITY PER VARIATION pintprint

9


P



THIS DRAWING AND SPECIFIC OPIED OP USED IN WHO	INITIAL A SECT	######################################	1 1 D-UA-5414216-0-0 3 3 4 4 50-IA-7425772-0-0	AUTOMATED BY PRTLST.3P(44) LINE ITEM DOCUMENT NUMBER
CATIONS HEREIN, A	VARIATION IND	†70†† †010†† †071† †71†	SHIH216-00 FR TELEM WITH 1219172-00 WITH 1217279 (ITEM WITH 1217979 (I	PART NUMBER
RESP.ENG.: R.NUEBLING HEG.ENG.: M.WARSHAW HEGSEMBLY NUMBER: E-AD-7018717-0-0 E THE PROPERTY OF DIGITAL EQUE HE BASIS FOR THE MANUFACTURE. HE BASIS FOR THE MANUFACTURE.	EX.CHK'D: M.BAPTISTE t+t+t+t+t+t+t+t+t+t+t+t+t+t+t+t+t+t+t+	* + + + + + + + + + + + + + + + + + + +	STAR COUPLER MODULE PAN, STAR COUPLER NUT, HEX WASHER, LOCK, INT, . 60000 X . 50010	PARTS LIST DESCRIPTION
DATE: 17-JUN-81 CHECK TOP DOCUMENT NUM E-AD-7018771-0-0 FRENT CORPORATION OR SALE OF LARMS OR SALE OF LARMS OR SALE OF LARMS	DATE: 17-JUN-81 DATE: 17-JUN-81	DATE: 17-JUN-81	LΩLΩ++	QUANTITY PEI
ZEICODEI NUMBER THICH THE SHALL NOT BE THE SHALL NOT BE THE THE THE THE THE THE THE THE THE TH	FRONT PANEL AS	1		R VARIATION
TEPRODUCED **TERRODUCED **TE	NIMATA ************	† † † † † † † † † † † † † † † † † † †		SHEET AL OF AL


٠.,


·




"THIS DRAWING AND SPECIFICATIONS OR COPIED OR USED IN WHOLE OR I			00 1 100 1 100 1 100 1	7	TNITIAL ATTACHMENT ATTACHMENT OF THE SECTION VARIATION OF THE SECTION OF THE SECT	SION HISTORY IBASIC PART NO: 5
IN ARE THE PROPER PYRIGHT (C) 1982. [24145-80-0 24145-80-0 N AJBW3SSB:	FG. ENG.:	ESP.ENG.:	DES.ENG: R.NUEBLING DATE	INDEX !CHK'D: F.GAROFALO !D	14016
TY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.	P DOCUMENT NUMBER:	TE: 06-JAN-82 K PL 5	DATE: 05-JAN-82 +++++++++++++++++++++++++++++++++++	**************************************		**************************************
NOT BE REPRODUCED	TLE NAME: EDIT #	5414516-0-DBP A	DOCUMENT NUMBER THE THE THE THE THE THE THE THE THE THE	**************************************	PARTS LIST	+ + + + + + + + + + + + + + + + + + +

#600-5	
00000 00000 0000 0000 00000 00000 00000 0000	SERION TRACE
DRILL AND ETCH BOARD CONN, COAX ILINE TWO PO HIG POWER SPLITTER/COMBINER, 9 WAY POWER SPLITTER/COMBINER, 9 WAY	
furufur	
((C)(








ŕ	AUTOH	ATED BY PRTLS	T.3P(44	1)	PAR	TS LIST					SHEET	A1 OF A1
ŧ	LINE	ITEM DOCUMENT	NUMBER	R PART NUMBER I	ESCRIPTION			QUANTITY PER	VARIAT	ON		
	1 2 3	1 2 3		1218647-00		COND,21AWG,50 LINE PLUG TNC (PY VERTICAL		1 2 1	•			
										,		
							·					
		: :		·								
!	 	REVISION HISTO		!BASIC PART NO: 7016540	! _ ! DRN :	R.J. RILEY	! ! DATE	: 16-APR-82	! !	!!!	! ! ! !!G!I!T	·
į			IRFU	ISECTION A DE A	1		1		l .	1 1	1 1 1	_!!!
; ;	!! ! !	INITIAL	! A !	!SECTION. VARIATION INDE	X!CHK'D:	R.J. RILEY	!DATE !	: 16-APR-82	8/16	JUMF	ER CABLE	!
!			! !	[EB]				: 16-APR-82			. aan aan aan aan aan aan aan aan aan aa	
!	!!		í	! [C] !	! !RESP.ENG.:	R. NUEBLING	! ! Date	: 16-APR-82	! !		DOCUMENT NUMBE	!
i	!!!	•	! !	! CD3	į		!		!!!	į		! REV !
! !	!		!	! CEJ	!		!		! !	!_	7018530-0-DBP	!!
!	!		! ! !	! [F] !	!C-AD-70185		į			į	FILE NAME: Z2441A.PLS	!EDIT #! ! 4! !!
		ווודנותפוי פדעדי	ם מאס	SPECIFICATIONS HEREIN, AF								

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE EXPRODUCED OR COHED OR USED IN WHOLE OR IN PART AS THE BASS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.

COPYRIGHT (2) 797, DIGITAL EQUIPMENT CORPORATION"



	REV.	
REVISIONS	CHANGE NO.	
	¥	

O.K

AMT. TO STOCK
INSPECTED BY
DATE 6-5-5/

DRN / O	6-4-81	FIRST	USED	ON	13.11.	
CHK'D A MALLON	18.Jug2				digi	T a l
ENG. H OJT	1-12 3	TITLE	-	אסכבאו		
PROJ. ENGLANILL	1-9-82	DIL	K5(JKEEN,		
PROD. D. K. Hise	1-19-82	STA	٩R	COUPLER		
NEXT HIGHER ASSY	4	1				
D-MD-7425772	-0-0	SIZE	CODE			REV.
SCALE //			SS	7425772-	0-1	A
SHEET / C	Γ /	DIST.			!	

DIGITAL EQUIPMENT CORPORATION MAYNARD MASSACHUSETTS																
PACKAGING	ACKAGING INSTRUCTION										REV DATE					
TLE PKG. ASSY SCOOR STAR COUPLER																
		3000	317	COOP	LEK											
	LEGEND															
VARIATION PART IREV USED ON IPACKAGE TYPE REMARKS																
37-00669	-01	A1	SCO)8-AA/			CUSTOMER		CABINET							
37-00669	-02	A1	SCO	8-AB/	-AD	CUSTOMER		R	ASSEMBLY							
	PARTS LIST 37-00669-01															
RE	FER TO	OFF	-SHEE	T PAR	TS L	IST	K-PL-	370066	9-0-D8	P, RE	V A					
	PACKAGING INSTRUCTIONS 37-00669-01															
STEP			PRUCE	DURE	FIGUE	RES	1 AND	2								
1.	PALLE (4)	ET (9 Brac	9-061 KETS	(SCO) 691-03 (74-	(IT -2652	EM 4-0:	#4}) L {I	08-AC AND B TEM	(1TE) OLT DO \$31});	WN TH	E FOU	R				
2.	USING	UP RE TWO 1 #9)	(2)	R SLO FEET	TTED OF	CAF CART	RTON ON SE	(99-05 EALING	114-01 TAPE	1TE !0-09	H #8) 5729-0	0				
3.	USING	5 16200	IX	(6)	FEE	T	0F	(74-26: ANTIS CE IN	TATIC	BUBE	BLEWRA	P				
4.	4. WRAP EACH OF THE TWO (2) CABLE COVER MTG. BRACKETS (74-26225-01 (ITEM #11)) IN THREE (3) FEET OF ANTISTATIC BUBBLEWRAP.										s C					
5.				LLOWII			5 IN	TO A	POLYE	THYLEN	NE BA	G				
ITEM NUMBER		ITAL	PART	•	DESC	RIP	TION			QUA	YTITY					
16	90-	06074	-03	SCRE	d, TR	us,	PHIL	10-32	X 5/8		4					
18	/ 36-	19264	-17	LABEL	., NO	DE,	10				2					
rezonto	2 /05	CHAPI	SE	yan -	,		SIZE	CODE	NUMBE 3700	R 669-0	-0	REV				

Sugar Contract

1_OE

13 m

ž.

PACKAGING INSTRUCTION

TITLE

SHEET

The drowing and specifications, serein user, a support, of Dajital Euskimers Corporation and statistics to Encounted an advance of reference of the residual of the following the control of the control

PACKAGING INSTRUCTION CONTINUATION SHEET TITLE PKG PLACE THE DOOR HINGE BRACKET (74-22221-00 (ITEM #14)) AND ONE (1) LEFT HAND PIVOT BRACKET (74-22272-01 (ITEM #15)) INTO THE REGULAR SLOTTED CARTON. WAD AND PLACE FOUR (4) FEET OF ANTISTATIC BUBBLEWRAP INTO CARTON. CLOSE AND SEAL THE REGULAR SLOTTED CARTON USING TWO (2) FEET OF CARTON SEALING TAPE. 8. PLACE THE REGULAR SLOTTED CARTON ON THE PALLET DECK INSIDE THE CABINET. SEE FIGURE 2. 9. STRAP THE CARTON TO THE CABINET DECK FROM FRONT TO BACK USING EIGHT (8) FEET OF STRAPPING (99-05734-00 (ITEM 10. PLACE TWO (2) ALLEN WRENCHS (47-00045-00 (ITEM 817)) INTO A POLYETHYLENE BAG (99-06557-01 (ITEM 829)) AND STAPLE IT TO THE REAR DECK OF THE PALLET. 11. PLACE A POLYETHYLENE BAG (99-05128-08 (ITEM 02)) OVER THE CABINET. 12. SET UP TUBE (99-06761-05 (ITEM 43)) AND PLACE OVER THE CABINET SO THAT THE FLANGED FLAP FACES DOWN. 13. PLACE CORRUGATED PAD (99-06936-01 (ITEM 435)) INTO THE TUBE ON TOP OF THE CABINET. 14. PLACE THE TWO (2) RAMPS (99-06937-10 (ITEM #20)) SIDE BY SIDE ON TOP OF THE CORRUGATED PAD SO THAT THE METAL GUIDES FIT INTO THE SLOTTED AREA OF THE PAD. 15. SET UP AND PLACE THE SELF LOCKING CAP (99-06761-01 (ITEM \$5)) ONTO THE TUBE. STRAP DOWN THE CAP AND TUBE USING TWENTY-EIGHT (28) FEET OF POLYESTER STRAPPING (99-06185-14 (ITEM #7)). PACKAGING INSTRUCTIONS 37-00669-02 STEP PROCEDURE FIGURE 3 AND 4 SET UP THE REGULAR SLOTTED CARTON (99-06927-01 (ITEM #27)) USING TWENTY-EIGHT (28) INCHES OF CARTON SEALING TAPE (99-05729-00 (ITEM #9)). 1. SIZE CODE NUMBER REV 3700669-0-0 Α OF __7_ SHEET ...

PLACE A STAR COUPLER ASSEMBLY (70-18771-00 (ITEM \$21)) ONTO THE CORRUGATED/POLYETHYLENE LAMINATE (99-06928-01 (ITEM \$22)) WITH THE PLASTIC BRACKETS FACING UP. 2. WRAP THE STAR COUPLER ASSEMBLY WITH THE LAMINATE AND PLACE IT INTO THE REGULAR SLOTTED CARTON. 3. PLACE ONE (1) EACH OF THE FOLLOWING ITEMS INTO A POLYETHYLENE BAG (99-06557-14 (1TEM #23}) AND PLACE IT INTO THE REGULAR SLOTTED CARTON. 4. DIGITAL PART DESCRIPTION NUMBER NUMBER 24 36-18845-01 LABEL, NODE, 9-16 25 36-18845-02 LABEL, NODE, MARKER "B" 26 36-18806-01 LABEL, CONFIGURATION PATH C1780 19 36-19211-01 LABEL, CARTON BEND RADII PLACE ONE (1) TERMINATOR STORAGE ASSY (70-18770-00 (1TEM #30)) INTO A POLYEHTYLENE BAG (99-06557-14 (1TEM #23)) AND PLACE IT INTO THE REGULAR SLOTTED CARTON. PLACE THE FOLLOWING ITEMS INTO A POLYETHYLENE BAG (99-06557-01 (ITEM #29)) AND PLACE IT INTO THE REGULAR 6. SLOTTED CARTON. DIGITAL PART ITEM DESCRIPTION QUANTITY NUMBER 90-09700-00 SCREW, TRUSS, PHIL, SEMS 32 90-06074-03 SCREW, TRUSS, PHIL 10 -32 X .63 90-06664-00 WASHER, FLAT .437 O.D. X .218 I.D. 33 CLOSE AND SEAL THE REGULAR SLOTTED CARTON USING TWENTY-EIGHT (28) INCHES OF CARTON SEALING TAPE. 7. PALLETIZE USING GENERAL PURPOSE PALLET (99-06199-00 (ITEM #28)) PER FIGURE 4. UNITIZE BY USING FOUR (4) ANGLEBOARD (99-06185-05 (ITEM #34)) AND FOUR (4) PIECES OF POLYESTER STRAPPING (99-05734-00 (ITEM #6)). REV. ... SIZE CODE NUMBER

A PA

SHEET 5 OF 7

3700669-0-d

CONTINUATION SHEET

